

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1403	725/139-142.ccls. or 725/151-153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:25
S2	109	S1 and IEEE near2 "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:47
S3	14	S2 and ((select\$3 choos\$3 switch\$3) near4 (analog base\$1band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:51
S4	109	S2 a6490002.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:50
S5	2	"6490002".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:50
S6	0	S2 and ((poll\$3) near4 (analog base\$1band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:51
S7	3	S2 and ((poll\$3 determin\$3) near4 (analog base\$1band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:36
S8	72	((poll\$3 determin\$3) near4 (analog base\$1band)) and (IEEE near2 "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 09:06

S9	3	"763789".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 15:26
S10	8	("4996597"   "4821122"   "5592234"   "4521810"   "4575759"   "4776038"   "4581644"   "4581645").pn.	USPAT	OR	OFF	2005/04/26 15:41
S11	115	((poll\$3 determin\$3 test\$3) near4 (analog\$3 base\$1band)) and (IEEE near2 "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 09:50
S12	24	Canopus.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 09:39
S13	0	((auto automatic\$4) near3 (poll\$3 determin\$3 test\$3)) near4 (analog\$3 base\$1band)) and (IEEE near2 "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 09:51
S14	0	((auto automatic\$5) near3 (poll\$3 determin\$3 test\$3)) near4 (analog\$3 base\$1band)) and (IEEE near2 "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 09:51
S15	9	((auto automatic\$5) near3 (poll\$3 determin\$3 test\$3)) SAME (analog\$3 base\$1band)) and (IEEE near2 "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 09:51
S16	7	Wheeler.in. and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:31
S17	0	(discover near2 network near2 topography) SAME analog SAME "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:31

S18	0	(network near2 topography) SAME analog SAME "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:31
S19	0	topography SAME analog SAME "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:32
S20	242	topography SAME analog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:33
S21	142	725/80.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:34
S22	7	S21 and (topography layout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:01
S23	69	S21 and rout\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:35
S24	79	S21 and analog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:08
S25	3	S21 and ((poll\$3 determin\$3) near4 (analog base\$1band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:41

S26	36	("20020194596" "4301475" "4808992" "5382982" "5420856" "5438375" "5553140" "5621659" "5684543" "5719637" "6032202" "6038625" "6085236" "6133910" "6486925" "6490009" "6516467").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:57
S27	2	"6038625".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:58
S28	9	("4893199"   "5265241"   "5278961"   "5420573"   "5537605"   "5675830"   "5784702"   "5815678"   "5848247").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/27 14:00
S29	3	S26 and (topology topography)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/27 14:01
S30	20	S21 and (topography topology layout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:04
S31	15	S21 and (topography topology layout) and (analog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:06
S32	345	(topography topology layout) near2 (analog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:07
S33	4	S32 and ("348"/\$.ccls. or "725"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:07
S34	11	S21 and analog and topology	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:08

S35	61	"710"/\$.ccls. and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:25
S36	0	S35 and (analog base\$1band composite component) SAME (topology topography layout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:07
S37	5	S35 and (analog base\$1band composite component) and (topology topography layout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:09
S38	1707	"710"/\$.ccls. and (analog base\$1band composite component) and (topology topography layout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:09
S39	14	"710"/\$.ccls. and ((analog base\$1band composite component) near4 (input output connection)) SAME (topology topography layout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:10
S40	14	"710"/\$.ccls. and (((analog base\$1band composite component) near4 (input output connection)) SAME (topology topography layout))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:10
S41	8	("6208388"   "6292846"   "6434447"   "6453364"   "6466971"   "6496504"   "6504996"   "6529680").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/27 15:12
S42	8581	710/100-315.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:25
S43	41	S42 and ("725"/\$.ccls. or "348"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:26

S44	24	S43 and (analog component composite base\$1band)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:38
S48	0	S43 and ((poll\$3 determin\$3 near4 (analog base\$1band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:42
S49	0	S43 and ((poll\$3 determin\$3 check\$3 status) near4 (analog base\$1band composite component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:43
S50	0	S43 and ((poll\$3 determin\$3 check\$3 statustest\$3) near4 (analog base\$1band composite component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:43
S51	0	S43 and ((poll\$3 determin\$3 check\$3 status test\$3) near4 (analog base\$1band composite component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:46
S52	0	S43 and ((poll\$3 determin\$3 check\$3 status test\$3 discover\$3) near4 (analog base\$1band composite component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:46
S53	318	S42 and ((poll\$3 determin\$3 check\$3 status test\$3 discover\$3) near4 (analog base\$1band composite component))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:46
S54	34	S53 and topology	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:48

S55	0	S54 and ("725"/\$.ccls. or "348"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:48
S56	0	(havi "1394") near4 analog near4 (topology topography layout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:53
S57	2	((havi "1394") near4 (topology topography layout)) SAME analog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:54
S58	22	((havi "1394") SAME (topology topography layout)) SAME (analog composite base\$1band component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:54
S59	8	("6208388"   "6292846"   "6434447"   "6453364"   "6466971"   "6496504"   "6504996"   "6529680").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/27 16:00
S60	2	("5557424"   "5838875").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/28 09:07
S61	206	((Havi "1394" "serial bus") SAME ((signal control) near3 (analog base\$band composite component))) and (topology topography layout setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 09:09
S62	21	((Havi "1394" "serial bus") SAME ((signal control) near3 (analog base\$band composite component) near3 (input))) and (topology topography layout setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 09:12
S63	206	((Havi "1394" "serial bus") SAME ((signal control) near3 (analog base\$band composite component))) and (topology topography layout setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 09:12

S64	0	(poll\$3 near2 analog near2 Av)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:51
S65	0	(poll\$3 near4 analog near4 Av)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:51
S66	0	(poll\$3 near4 analog\$3 near4 Av)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:51
S67	264	(poll\$3 near4 analog\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:51
S68	5	(poll\$3 near4 analog\$3) and (av)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:52
S69	75	(poll\$3 near4 analog\$3) and (av video audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:52
S70	486	725/14-21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:53
S71	2	S70 and 725/80.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:54



S72	142	725/80.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:54
S73	136	S72 and (analog baseband composite video)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 10:54
S74	30	S72 and ((analog baseband composite) near3 (input\$4 connect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:34
S75	2	"4996597".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 15:34
S76	75	Wugofski.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:11
S77	19	S76 and channel.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:12
S78	2	"6529680".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 10:41
S79	1	Hara.in. and Havi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:47

S80	139	Hara.in. and IEEE	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:47
S81	7	Hara.in. and (IEEE with "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:53
S82	13	Matsushita.in. and (IEEE with "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:55
S83	1	(automatic\$5 SAME (topology near4 analog)) and (IEEE with "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:00
S84	8	("6208388"   "6292846"   "6434447"   "6453364"   "6466971"   "6496504"   "6504996"   "6529680").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 16:57
S85	2	("5557424"   "5838875").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 16:58
S86	15	("4484237"   "4890316"   "5128946"   "5182762"   "5206738"   "5499145"   "5568328"   "5589943"   "5742317"   "5802017"   "5805073"   "5923814"   "5978546"   "6031677"   "6104862").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 16:58
S87	1	(automatic\$5 SAME ((topography topology) near4 analog)) and (IEEE with "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:00
S88	1	(automatic\$6 SAME ((topography topology) near4 analog)) and (IEEE with "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:00

S89	1	(automatic\$6 SAME ((topography topology lay\$1out) near4 analog)) and (IEEE with "1394")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:00
S90	1	(automatic\$6 SAME ((topography topology lay\$1out) near4 analog)) and ((IEEE with "1394") Havi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:02
S91	6	(automatic\$6 SAME ((topography topology lay\$1out) same analog)) and ((IEEE with "1394") Havi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:01
S92	3	(automatic\$6 SAME ((topography topology lay\$1out) with analog)) and ((IEEE with "1394") Havi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:01
S93	3	(automatic\$6 SAME (discover\$1 near4 analog)) and ((IEEE with "1394") Havi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:03
S94	1	(automatic\$6 SAME ((lay\$1out topology topography configuration) near4 analog)) and ((IEEE with "1394") Havi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:13
S95	2	"6003041".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:13
S96	12	("4060849"   "4188662"   "4435755"   "4459661"   "4527194"   "5020129"   "5257106"   "5394560"   "5546396"   "5826030"   "5862160"   "5895462").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 17:15
S97	6	Hara.in. and (IEEE with "1394")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 17:16

S98	0	havi SAME (analog near4 (topography layout lay\$1out topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:46
S99	0	(IEEE with "1394") SAME (analog near4 (topography layout lay\$1out topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:46
S10 0	4	(IEEE with "1394") SAME ((input v1 v2 a1 a2 analog) near4 (topography layout lay\$1out topology))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:02
S10 1	387	(IEEE with "1394") SAME (topography layout lay\$1out topology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:13
S10 2	148	S101 and analog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:11
S10 3	0	S102 and (video near3 blank\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:10
S10 4	0	S101 and (video near3 blank\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:10
S10 5	0	S101 and (blank\$3 near3 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:10

S10 6	17	automatic\$6 near4 input near4 discover\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:13
S10 7	20	automatic\$6 near4 (input analog) near4 discover\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:13
S10 8	1	(IEEE with "1394") SAME (analog with (topography layout lay\$1out topology map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:14
S10 9	13	(IEEE with "1394") SAME (analog SAME (topography layout lay\$1out topology map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:15
S11 0	166	(IEEE with "1394") AND (analog SAME (topography layout lay\$1out topology map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:29
S11 1	871	(video near3 test near3 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:29
S11 2	2	(IEEE with "1394") AND (analog SAME (topography layout lay\$1out topology map\$4 configuration) SAME (test near3 signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:30